

## **Analysis of The Development Of Muzzle Brake Design on SL Rifle 41**

**Muhammad Alief Ramadhana<sup>1)</sup>, Heri Budi Wibowo<sup>2)</sup>, Robertus Heru Triharjanto<sup>3)</sup>,  
Lutfi Adin Affandi<sup>4)</sup>, Donny Haryogi Ramadhan<sup>5)</sup>**  
<sup>1,2,3,4,5)</sup> Weaponry Technology Study Program, Faculty of Defense Science and Technology,  
The Republic of Indonesia Defense University, Indonesia

\*Corresponding Author

Email: [williamsurvaw88@gmail.com](mailto:williamsurvaw88@gmail.com), [algooth.pao@bsi.ac.id](mailto:algooth.pao@bsi.ac.id)

---

### **Abstract**

*The research explores advancements in muzzle brake designs for lightweight rifle firearms, aiming to control recoil during firing. The SL Rifle 41 from World War II serves as a historical example, highlighting challenges such as gas escaping near the muzzle, rapid cooling, and piston fouling. The gas expansion difference between the barrel and piston poses operational issues. The firearm shooting process involves high-temperature, high-pressure propellant gas released through the muzzle brake, creating a complex 3D instability problem. The shockwave from the muzzle blast significantly impacts the muzzle brake surface. Modern SL Rifle designers seek to enhance projectile muzzle velocity and After-Action Gas Powder (AAPG) simultaneously, addressing recoil energy through opposing impulses. The research employs a literature review method, analyzing concepts, theories, and findings. The SL Rifle's operational mechanism uses a direct gas impingement system, offering simplicity but accumulating carbon particles. Muzzle brake models feature a primary body and baffles strategically designed for gas dispersion and recoil reduction. Detailed examination of brake muzzle/barrel material objects and established muzzle brake models illustrates engineering considerations, enhancing understanding of design and characteristics. The comprehensive design aims to optimize performance, durability, and shooting stability while minimizing wear associated with carbon buildup. In conclusion, the evolution of muzzle brake design contributes to enhanced firearm performance, ensuring smoother firing, reduced recoil, increased accuracy, and control. Ongoing advancements cater to diverse user needs in military, law enforcement, and civilian contexts, reflecting a commitment to improving firearm technology.*

**Keywords : Muzzle Brake, Recoil Reduction, Recoil Management**

---

## **INTRODUCTION**

Advancements in the technology of lightweight rifle firearms have led to numerous innovations in muzzle brake designs, all aimed at effectively minimizing and controlling recoil resulting from the impact during firing. The primary function of muzzle brakes is to redirect hot gas, high pressure, and high-speed flow through side ports, generating a directed force forward that effectively reduces recoil. An illustrative example of the consequences of inadequate design is evident in the historical context of German weapons during World War II, notably the SL Rifle 41. This rifle faced criticism for its failure, attributed to the escape of gas near the muzzle, causing rapid cooling of the barrel end and fouling of the piston (Westwood, 2005).

In the broader context of firearm shooting processes, the propulsion of the projectile is intricately linked to the explosion of propellant inside the gun barrel. As the projectile exits through the muzzle brake, the sudden release of high-temperature and high-pressure propellant gas occurs. This gas rapidly expands at high speed, creating a complex 3D instability problem with a constantly changing flow field around the muzzle brake. The dynamic nature of this process leads to continuous variations in the muzzle brake force over time, further complicated by the significant impact of the shockwave from the muzzle blast on the muzzle brake surface (Quinn, 2022).

In the contemporary design considerations for SL Rifle firearms, designers face the challenge of simultaneously enhancing the projectile's muzzle velocity and addressing the effects

of After-Action Gas Powder (Herrera & Zuñiga, 2022). The departure of the projectile, coupled with the gas powder action, results in expelled gas providing additional thrust to the components causing recoiling (DiMaio, 2015) In turn, increases their backward velocity and enhances their recoil energy. Strategies for reducing recoil energy involve minimizing the gas impulse expelled by introducing an opposing impulse (Shen et al, 2023). Central to achieving these design goals are Muzzle Brakes (MB), which serve as devices either mounted or integral to the barrel muzzle. Muzzle brakes may feature one, two, or more chambers with side holes at various angles to the barrel axis, often exceeding 90 degrees. This comprehensive overview underscores the multifaceted considerations and challenges faced by firearm designers as they strive to optimize performance, minimize recoil, and advance the technology of muzzle brakes in the ever-evolving landscape of lightweight rifle firearms.

## **RESEARCH METHODS**

In this writing, the research approach adopted is the literature review method. The literature rev In this text, the chosen research approach is the literature review method. The literature review method is a frequently employed research approach for collecting data, involving the examination and analysis of relevant literature or various information sources. This method encompasses a thorough review of existing literature, including scholarly articles, books, and other pertinent sources of information. Throughout the literature review process, researchers delve deeply into the exploration of concepts, theories, and findings put forth by experts in the respective field. Furthermore, literature reviews facilitate researchers in gaining insights into the most recent developments and trends within the study area.iew method is a research approach commonly used to gather data by recording, reviewing literature, or reading various relevant sources of information. This approach involves a comprehensive analysis of existing related literature, whether in the form of scholarly articles, books, or other sources of information. In the literature review process, researchers conduct in-depth exploration of concepts, theories, and findings developed by experts in the relevant field. Additionally, literature reviews enable researchers to understand the latest developments and trends in the field of study.

## **RESULT AND DISCUSSION**

### **Weapon Operation System Of SL Rifle**

The assessment of the effectiveness of the firearm under discussion often falls under intense scrutiny, with particular attention to the gas extraction dynamics taking place near the muzzle of the rapidly cooling barrel, leading to the swift fouling of the piston (Brown, 2010). This intricate process raises questions about the overall efficiency and performance of the firearm. Additionally, the observed disparity in gas expansion between the barrel and the piston further compounds the perceived shortcomings associated with this specific firearm design. A fascinating historical dimension adds depth to our understanding of this firearm's operational characteristics. The concept of gas extraction near the muzzle, which is central to the current discussion, traces its roots back to German weapons developed during the tumultuous period of World War II (Chafe, 2003). This historical context sheds light on the origins of the design element that is now a subject of contemporary scrutiny. Understanding the historical evolution of this feature provides valuable insights into the firearm's development and the challenges faced by designers during a critical period in military technology.

Delving into the operational mechanism of the firearm, as depicted in Figure 1 showcasing the SL Rifle 41, we observe the utilization of a direct gas impingement system. In this configuration, gas extracted from the barrel is channeled along a tube to directly influence the cover assembly, facilitating its opening. This system, despite its drawbacks, offers distinct advantages such as simplicity, cost-effectiveness, and a lightweight design. However, a noteworthy drawback emerges as carbon particles tend to accumulate around the cover assembly area and solidify during the cooling process.



Figure 1. SL Rifle 41

The operational mechanism of the SL Rifle is characterized by the implementation of a direct gas impingement system. In this particular configuration, gas is extracted from the barrel and directed along a tube, ultimately influencing the cover assembly to facilitate its opening. While this system is celebrated for its simplicity, cost-effectiveness, and lightweight design, it does not go without acknowledging a notable drawback. Carbon particles tend to accumulate around the cover assembly area, solidifying during the cooling process. This distinctive operating system, despite its drawbacks, offers a compelling historical connection to the German weapons employed during World War II. This historical lineage adds a fascinating layer to the firearm's design, showcasing an evolution deeply rooted in the development of weaponry and technology during a pivotal period in military history. The trade-offs inherent in this operational mechanism, involving considerations of efficiency, simplicity, and the potential for issues like fouling, underscore the perpetual pursuit of optimal firearm performance across various operational contexts. Examining the direct gas impingement system more closely, its efficiency is notable for streamlining the firearm's operation, reducing manufacturing costs, and contributing to an overall lightweight design. However, the accumulation of carbon particles around the cover assembly area introduces a practical challenge, potentially affecting the firearm's reliability and maintenance requirements. This challenge becomes particularly relevant in prolonged or intensive use scenarios, necessitating a balance between the system's advantageous attributes and its associated drawbacks.

In understanding the historical context, the adoption of this gas impingement system in the SL Rifle reflects a deliberate choice influenced by the evolving needs and constraints of military technology during World War II. The system's simplicity and cost-effectiveness were likely crucial considerations in a wartime context, where efficiency and rapid production were paramount. As firearm designers continue to explore innovative solutions, the ongoing quest for optimal performance necessitates a nuanced evaluation of trade-offs. The delicate balance between efficiency, simplicity, and addressing potential issues, such as fouling, serves as a testament to the dynamic nature of firearm design. It also underscores the iterative process of improvement, where lessons from historical lineages are considered alongside contemporary

technological advancements to enhance the functionality and reliability of firearms in diverse operational scenarios.

### **Muzzle Brake Model and Structure**

In this comprehensive exploration, we aim to delve deeply into the intricate structure of the muzzle brake, as exemplified in the detailed depictions provided in both Figure 2 and Figure 3. The model under scrutiny reveals a sophisticated design, featuring a central primary body and strategically positioned baffles aimed at achieving optimal performance. It is noteworthy that the primary body is intricately adorned with six rows of precisely placed perforations, each accompanied by symmetrically aligned side holes. This deliberate arrangement plays a pivotal role in orchestrating the gas propulsion mechanism in a sequence that spans from the holes in the first to the sixth row, ensuring not only efficient gas dispersion but also effective recoil reduction. To provide a more nuanced understanding of this intricate design, let's focus on the gas propulsion mechanism. The sequence begins with the holes in the first row, strategically positioned to initiate a controlled and sequenced release of propellant gas. What follows is a carefully orchestrated progression, with subsequent rows contributing to the overall gas dispersion process. This meticulous arrangement is pivotal in optimizing the performance of the muzzle brake, ensuring that the recoil reduction is achieved with precision.

Further adding to the sophistication of the design, attention is drawn to the two side holes from the first row, ingeniously angled forward. This specific feature serves a dual purpose by strategically mitigating the impact of high-pressure and high-temperature propellant gas on the rear side of the muzzle brake. The forward angling of these side holes cleverly redirects the gas through the adjacent openings, contributing to a controlled and efficient dissipation of pressure. In essence, the detailed examination of the muzzle brake's structure, with its multiple baffles, precisely arranged perforations, and strategically angled side holes, underscores the dedication to achieving not only optimal performance but also addressing specific challenges associated with high-pressure and high-temperature gas release. This insightful analysis adds depth to our understanding of the meticulous engineering involved in muzzle brake design, showcasing a commitment to enhancing firearm functionality and user experience.



Figure 2. Material Object of Brake Muzzle/Barrel

In the insightful depiction presented in Figure 2, we are provided with a visual representation that offers a comprehensive view of the material object associated with the brake muzzle or barrel. This image serves as a valuable resource for scrutinizing the intricate details of this specific component, allowing us to explore its unique features, construction, and potential applications in great detail. By delving into the visual representation, we aim to enrich our understanding of the brake muzzle or barrel's design and characteristics, unveiling the crucial

role it plays in the overall functionality and performance of the system. The brake muzzle or barrel, being a focal point in the firearm system, holds paramount importance. This visual depiction serves as a means to highlight not only the physical attributes of the component but also to provide a deeper understanding of its engineering considerations and manufacturing intricacies. By closely examining this material object, we gain valuable insights into the precision and craftsmanship that contribute to its effectiveness in various applications within the broader context of the associated system or mechanism.

As we explore the intricacies of the brake muzzle or barrel, we uncover the nuanced engineering considerations that contribute to its exceptional functionality. This detailed examination allows us to appreciate the meticulous design choices made during its construction, shedding light on the material selection, manufacturing techniques, and structural elements that ensure its optimal performance. The visual representation in Figure 2 serves as a gateway to a more profound comprehension of the complexities involved in crafting a component that is not only integral to the firearm system but also versatile in its applications. Furthermore, this exploration extends beyond a mere analysis of physical attributes, offering insights into the diverse range of potential applications for the brake muzzle or barrel. Whether considering its role in enhancing shooting accuracy, managing recoil forces, or contributing to the overall durability of the firearm system, the visual representation facilitates a holistic understanding of the multifaceted functionality inherent in this crucial component. In essence, the detailed examination and visual representation in Figure 2 elevate our comprehension of the brake muzzle or barrel, transcending its physical appearance to delve into the realm of engineering precision, manufacturing expertise, and the diverse applications that contribute to its indispensability within the broader framework of the associated firearm system or mechanism.




Figure 3: Established Muzzle Break Model

In this detailed exploration, we showcase an intricately designed model of a muzzle brake, a pivotal component in firearm engineering specifically crafted to address two critical aspects: recoil mitigation and muzzle rise reduction. The showcased model stands as a testament to extensive testing and optimization processes, assuring its effectiveness and reliability across a spectrum of shooting scenarios. Diving into the engineering nuances, the lateral holes emanating from the remaining five rows are thoughtfully oriented backward. This strategic placement serves as a calculated measure aimed at primarily diminishing recoil forces, contributing to the innovative design's overall effectiveness. However, the ingenuity extends beyond recoil reduction; these lateral holes also play a crucial role in minimizing gas deposition at the muzzle or the barrel's end. Taking a holistic approach to the muzzle brake's structure, it becomes evident that meticulous engineering considerations underpin the optimization of both performance and durability. The design's intelligence lies in the skillful manipulation of gas flow and pressure dynamics, aligning with the overarching goal of enhancing shooting stability and accuracy.

Furthermore, the design exhibits a keen awareness of the potential challenges associated with carbon buildup, a common concern in firearm systems. By integrating features that actively minimize wear and tear related to carbon deposits, the comprehensive design ensures the longevity and sustained efficiency of the muzzle brake. It's noteworthy that the multifaceted design not only fulfills its primary function of recoil reduction but also addresses secondary factors that could impact the overall efficiency of the firearm system. The intricate balance achieved through this design not only enhances the shooter's experience but also aligns with the broader goal of advancing firearm technology to meet the demands of various operational contexts. In essence, the showcased muzzle brake model stands as a testament to the meticulous craftsmanship and engineering prowess dedicated to refining firearm components for optimal performance and longevity.

## CONCLUSION

The evolution of muzzle brake design has been an ongoing process, adapting and advancing over time to enhance the performance of firearms. Muzzle brakes play a crucial role in ensuring smooth firing, effectively reducing and managing the recoil generated by the weapon. This not only improves the overall shooting experience but also contributes to increased accuracy and control. The continuous development in muzzle brake technology has led to innovations that make weapons more versatile and efficient in various combat scenarios, whether it be in close-quarters engagements or long-range battles. These advancements contribute to creating firearms that are not only powerful but also user-friendly, allowing for better maneuverability and precision in both tactical and strategic situations. As designers and engineers refine the intricacies of muzzle brake systems, they aim to strike a balance between minimizing recoil forces and maintaining optimal projectile stability. This delicate equilibrium ensures that the shooter can maintain control and accuracy, even during rapid or sustained fire. Furthermore, the evolution of muzzle brakes considers the diverse needs of military, law enforcement, and civilian users. The goal is to provide solutions that cater to different preferences, skill levels, and mission requirements. This adaptability ensures that modern firearms are equipped with muzzle brake systems that align with the varied demands of today's dynamic operational environments. In conclusion, the constant development and refinement of muzzle brake designs underscore the commitment to improving firearm performance. The pursuit of more effective, efficient, and versatile muzzle brake systems reflects the dedication to enhancing the capabilities of weapons across a spectrum of applications, ultimately contributing to the advancement of firearm technology as a whole.

## REFERENCES

- Brown, D. K. (2010). *Warrior to Dreadnought: Warship Design and Development 1860-1905*. Pen and Sword.
- Chafe, W. H. (2003). *The unfinished journey: America since world war II*. Oxford University Press, USA.
- Chaturvedi, E., & Dwivedi, R. K. (2018). Review of various designs and material research studies of muzzle brakes with a proposal of an improved design. *Í Materials Today: Proceedings* (B. 5). [www.sciencedirect.com](http://www.sciencedirect.com)[www.materialstoday.com/proceedings2214-7853](http://www.materialstoday.com/proceedings2214-7853)

- DiMaio, V. J. (2015). *Gunshot wounds: practical aspects of firearms, ballistics, and forensic techniques*. CRC press.
- Herrera-Ramirez, J., & Zuñiga-Aviles, L. (2022). *Designing Small Weapons*. CRC Press.
- Lei, H.-X., Wang, Z.-J., & Zhao, J.-L. (2016). Engineering Science and Analisis Penekanan Rem Moncong dengan Menggunakan Metode Fluid-Solid Coupled (kopling cairan padat). *JOURNAL OF Engineering Science and Technology Review* (B. 9, Issue 4). [www.jestr.org](http://www.jestr.org)
- Liu, J. B., Huang, H. S., Zhu, W. F., Liu, Y., & Zhang, L. (2020). Research on high efficiency muzzle brake technology of small caliber automatic gun. *Journal of Physics: Conference Series*, 1507(3). <https://doi.org/10.1088/1742-6596/1507/3/032003>
- Quinn, X. A. (2022). *Numerical Comparison of Muzzle Blast Loaded Structure* (Doctoral dissertation, Virginia Tech).
- Shen, Q. M., Wang, G. B., Zhao, J. Z., Meng, C., Yuan, Y. Q., & Wang, E. L. (2023, April). Summary and Prospect of Artillery Recoil Reduction Technology. In *Journal of Physics: Conference Series* (Vol. 2460, No. 1, p. 012051). IOP Publishing.
- Sherif Said, M., Abdelsalam, O. R., & Aboul, M. H. (2018a). Design optimisation of muzzle brake for sniper rifle. *Defence Science Journal*, 68(5), 438–444. <https://doi.org/10.14429/dsj.68.12754>
- Sherif Said, M., Abdelsalam, O. R., & Aboul, M. H. (2018b). Design optimisation of muzzle brake for sniper rifle. *Defence Science Journal*, 68(5), 438–444. <https://doi.org/10.14429/dsj.68.12754>
- Westwood, D. (2005). *Rifles: an illustrated history of their impact*. Bloomsbury Publishing USA.